



RECOMMENDED QUANTITY CHART

TIRE SIZE TABLE OF CONTENTS

4 INCH RIMS	1	24 INCH RIMS	13-14
5 INCH RIMS	1	24.5 INCH RIMS	14
6 INCH RIMS	1	25 INCH RIMS	14-15
7 INCH RIMS	1	26 INCH RIMS	15-16
8 INCH RIMS	1-2	28 INCH RIMS	16
9 INCH RIMS	2	29 INCH RIMS	16-17
10 INCH RIMS	3	30 INCH RIMS	17
10.5 INCH RIMS	3	32 INCH RIMS	17-18
11 INCH RIMS	3	33 INCH RIMS	18
12 INCH RIMS	3-4	33.5 INCH RIMS	18
13 INCH RIMS	4	34 INCH RIMS	18-19
14 INCH RIMS	4	35 INCH RIMS	19
15 INCH RIMS	4-6	36 INCH RIMS	19
15.5 INCH RIMS	6	38 INCH RIMS	19-20
16 INCH RIMS	6-7	39 INCH RIMS	20
16.1 INCH RIMS	7	42 INCH RIMS	20
16.5 INCH RIMS	7-8	43 INCH RIMS	20
17 INCH RIMS	8	45 INCH RIMS	21
17.5 INCH RIMS	8	46 INCH RIMS	21
18 INCH RIMS	8-9	48 INCH RIMS	21
19 INCH RIMS	9	49 INCH RIMS	21
19.5 INCH RIMS	9	50 INCH RIMS	21
20 INCH RIMS	10-11	51 INCH RIMS	21
20.5 INCH RIMS	11	54 INCH RIMS	21-22
21 INCH RIMS	11	56.5 INCH RIMS	22
22 INCH RIMS	11	57 INCH RIMS	22
22.5 INCH RIMS	11-12	63 INCH RIMS	22
23.5 INCH RIMS	12		



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
4 INCH RIMS			
2.80-4	8	0.1	0.24
3.40-4	8	0.1	0.24
4.1/3.50-4	8	0.1	0.24
9/3.50-4	8	0.1	0.24
4.10-4	8	0.1	0.24
5 INCH RIMS			
4.1/3.50-5	12	0.1	0.35
11x3.50-5	12	0.1	0.35
11x4.00-5	12	0.1	0.35
10.00x4.50-5	12	0.1	0.35
11x4.50-5	12	0.1	0.35
10.5x5.00-5	16	0.1	0.47
13x3.50-5	16	0.1	0.47
11x6.00-5	16	0.1	0.47
11x7.00-5	20	0.2	0.59
11x7.50-5	20	0.2	0.59
6 INCH RIMS			
4.10/3.50-6	12	0.1	0.35
16x4.00-6	12	0.1	0.35
4.00-6	12	0.1	0.35
16x4.50-6	16	0.1	0.47
5.30-6	16	0.1	0.47
6.90/6.00-6	20	0.2	0.59
12x6.00-6	20	0.2	0.59
14x6.00-6	20	0.2	0.59
15x6.00-6	20	0.2	0.59
13x6.50-6	20	0.2	0.59
12x8.00-6	24	0.2	0.71
12x11.00-6	32	0.3	0.95
7 INCH RIMS			
4.50-7	16	0.1	0.47
4.80-7	16	0.1	0.47
8 INCH RIMS			
4.00-8	16	0.1	0.47
4.80/4.00-8	16	0.1	0.47



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
8 INCH RIMS CONTINUED			
4.30-8	16	0.1	0.47
4.80-8	20	0.2	0.59
5.70/5.00-8	20	0.2	0.59
18x5.70-8	24	0.2	0.71
5.70-8	24	0.2	0.71
6.00-8	24	0.2	0.71
16x6.50-8	28	0.2	0.83
16.5x6.50-8	28	0.2	0.83
18x6.50-8	28	0.2	0.83
18x7.00-8	28	0.2	0.83
20x7.00-8	28	0.2	0.83
20.5x7.00-8	28	0.2	0.83
16x7.50-8	32	0.3	0.95
18x8.50-5	32	0.3	0.95
18.5x8.50-8	36	0.3	1.06
18x9.00-8	36	0.3	1.06
22x9.00-8	36	0.3	1.06
18x9.50-8	40	0.3	1.18
20x10.00-8	40	0.3	1.18
20.5x10.00-8	40	0.3	1.18
22.5x10.00-8	40	0.3	1.18
20x11.00-8	44	0.3	1.3
21x11.00-8	44	0.3	1.3
22x11.00-8	44	0.3	1.3
21x12.00-8	48	0.4	1.42
9 INCH RIMS			
4.80/4.00-9	20	0.2	0.59
6.00-9	28	0.2	0.83
6.90-9	32	0.3	0.95
21x11.00-9	36	0.3	1.06
25x11.00-9	52	0.4	1.54
22x12.00	56	0.4	1.66
25x12.00-9	56	0.4	1.66
25x13.00-9	60	0.5	1.77



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
10 INCH RIMS			
4.50-10	24	0.2	0.71
6.50-10	32	0.3	0.95
21x7.00-10	36	0.3	1.06
7.50-10	40	0.3	1.18
20x8.00-10	40	0.3	1.18
20.5x8.00-10	40	0.3	1.18
22x8.00-10	44	0.3	1.3
9.00-10	44	0.3	1.3
18x9.50-10	48	0.4	1.42
20x10.00-10	52	0.4	1.54
22x10.00-10	52	0.4	1.54
22x11.00-10	56	0.4	1.66
24x11.00-10	56	0.4	1.66
20x12.00-10	60	0.5	1.77
20x14.00-10	72	0.6	2.13
27x15.00-10	74	0.6	2.19
15.00-10	74	0.6	2.19
20x20.00-10	100	0.8	2.96
20.50-10	104	0.8	3.08
10.5 INCH RIM			
23.00-10.5	121	0.9	3.58
11 INCH RIMS			
23x8.00-11	44	0.3	1.3
23.5x8.00-11	44	0.3	1.3
24x9.00-11	52	0.4	1.54
12 INCH RIMS			
3.00-12	20	0.2	0.59
4.00-12	24	0.2	0.71
4.50-12	28	0.2	0.83
4.80-12	28	0.2	0.83
5.00-12	32	0.3	0.95
5.30-12	32	0.3	0.95
5.70-12	36	0.3	1.06
6.00-12	36	0.3	1.06
155/80-12	36	0.3	1.06



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
12 INCH RIMS CONTINUED			
7.00-12	44	0.3	1.3
7.50-12	44	0.3	1.3
23x8.00-12	48	0.4	1.42
8.30-12	52	0.4	1.54
23x8.50-12	52	0.4	1.54
23x9.00-12	56	0.4	1.66
27x10.00-12	60	0.5	1.77
10.00-12	60	0.5	1.77
23x10.50-12	64	0.5	1.89
13x12.00-12	72	0.6	2.13
24x12.00-12	72	0.6	2.13
26x12.00-12	72	0.6	2.13
24x13.00-12	80	0.6	2.37
13 INCH RIMS			
15/80-13	40	0.3	1.18
175/80-13	44	0.3	1.3
185/80-13	48	0.4	1.42
14 INCH RIMS			
7.50-14	52	0.4	1.54
7.60-14	52	0.4	1.54
205/75-14	56	0.4	1.66
215/75-14	60	0.5	1.77
25x8.50-14	60	0.5	1.77
8.50-14	60	0.5	1.77
9.50-14	68	0.5	2.01
11.00-14	76	0.6	2.25
13.00-14	92	0.7	2.72
15 INCH RIMS			
25x2.50-15	20	0.2	0.59
4.00-15	32	0.3	0.95
4.40-15	32	0.3	0.95
5.00-15	40	0.3	1.18
5.70-15	44	0.3	1.3
5.90-15	44	0.3	1.3
6.00-15	44	0.3	1.3



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
15 INCH RIMS CONTINUED			
6.70-15	52	0.4	1.54
175/85-15	52	0.4	1.54
7.00-15	52	0.4	1.54
25x7.50-15	56	0.4	1.66
7.60-15	56	0.4	1.66
205/85-15	60	0.5	1.77
205/75-15	60	0.5	1.77
8.25-15	64	0.5	1.89
215/75-15	64	0.5	1.89
27x8.50-15	64	0.5	1.89
28x8.5-15	64	0.5	1.89
8.5-15	64	0.5	1.89
225/75-15	68	0.5	2.01
235/75-15	68	0.5	2.01
28x9.00-15	68	0.5	2.01
27x9.50-15	72	0.6	2.13
29x9.50-15	72	0.6	2.13
30x9.50-15	72	0.6	2.13
32x9.50-15	72	0.6	2.13
250/70-15	76	0.6	2.25
29x10.00-15	76	0.6	2.25
10.00-15	76	0.6	2.25
25x10.50-15	80	0.6	2.37
27x10.50-15	80	0.6	2.37
31x10.50-15	80	0.6	2.37
36x11.11-15	84	0.7	2.48
11.00-15	84	0.7	2.48
31x11.0-15	84	0.7	2.48
31x11.50-15	88	0.7	2.6
32x11.50-15	88	0.7	2.6
33x12.00-15	92	0.7	2.72
33x12.00-15	92	0.7	2.72
12.00-15	92	0.7	2.72
28x12.00-15	92	0.7	2.72
25x12.50-15	96	0.8	2.84



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
15 INCH RIMS CONTINUED			
29x12.50-15	96	0.8	2.84
31x12.50-15	96	0.8	2.84
33x12.50-15	96	0.8	2.84
25x12.50-15	96	0.8	2.84
12.50-15	96	0.8	2.84
28x13.00-15	100	0.8	2.96
31x13.50-15	100	0.8	2.96
36x13.50-15	100	0.8	2.96
365/80-15	108	0.8	3.19
14.50-15	108	0.8	3.19
32x15.00-15	112	0.9	3.31
35x15.00-15	112	0.9	3.31
31x15.00-15	116	0.9	3.43
38x16.00-15	120	0.9	3.55
21.50-15	160	1.3	4.73
15.5 INCH RIMS			
31x15.00-15.5	116	0.9	3.43
16 INCH RIMS			
4.00-16	32	0.3	0.95
4.50-16	36	0.3	1.06
5.00-16	40	0.3	1.18
5.50-16	44	0.3	1.3
6.00x16	48	0.4	1.42
6.50x16	52	0.4	1.54
6.60-16	52	0.4	1.54
7.00-16	56	0.4	1.66
7.20-16	60	0.5	1.77
7.50-16	60	0.5	1.77
7.50/8.00-16	64	0.5	1.89
8.00-16	64	0.5	1.89
8.25-16	68	0.5	2.01
8.30-16	68	0.5	2.01
215/85-16	68	0.5	2.01
225/75-16	72	0.6	2.13
225/85-16	72	0.6	2.13



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
16 INCH RIMS CONTINUED			
9.00-16	72	0.6	2.13
235/85-16	76	0.6	2.25
9.50-16	76	0.6	2.25
245/75-16	76	0.6	2.25
245/85-16	76	0.6	2.25
10.00-16	80	0.6	2.37
255/85-16	80	0.6	2.37
265/75-16	84	0.7	2.48
11.00-16	88	0.7	2.6
280/70-16	88	0.7	2.6
11.20-16	92	0.7	2.72
12.40-16	100	0.8	2.96
12.50-16	100	0.8	2.96
13.50-16	108	0.8	3.19
13.60-16	108	0.8	3.19
16.1 INCH RIMS			
11.00-16.1	88	0.7	2.6
13.50-16.1	108	0.8	3.19
13.60-16.1	108	0.8	3.19
14.00-16.1	112	0.9	3.31
14.5/75-16.1	116	0.9	3.43
16.50-16.1	132	1	3.9
18.40-16.1	148	1.2	4.38
35x19.00-16.1	152	1.2	4.5
38x19.00-16.1	152	1.2	4.5
38x20.00-16.1	160	1.3	4.73
21.50-16.1	172	1.3	5.09
16.5 INCH RIMS			
8.75-16.5	72	0.6	2.13
9.00-16.5	76	0.6	2.25
10.00-16.5	84	0.7	2.48
31x10.50-16.5	88	0.7	2.6
31x12.00-16.5	96	0.8	2.84
12.00-16.5	100	0.8	2.96
33x12.50-16.5	104	0.8	3.08



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
16.5 INCH RIMS CONTINUED			
35x14.50-16.5	120	0.9	3.55
33x15.00-16.5	124	1	3.67
33x15.50-16.5	128	1	3.79
17 INCH RIMS			
7.00-17	60	0.5	1.77
7.50-17	64	0.5	1.89
8.25-17	72	0.6	2.13
17.5 INCH RIMS			
7.00-17.5	60	0.5	1.77
8.00-17.5	72	0.6	2.13
205/65-17.5	72	0.6	2.13
215/75-17.5	76	0.6	2.25
8.50-17.5	76	0.6	2.25
225/65-17.5	80	0.6	2.37
225/70-17.5	80	0.6	2.37
225/75-17.5	80	0.6	2.37
9.00-17.5	80	0.6	2.37
235/75-17.5	80	0.6	2.37
240/55-17.5	84	0.7	2.48
255/70-17.5	84	0.7	2.48
10.00-17.5	88	0.7	2.6
255/60-17.5	88	0.7	2.6
255/70-17.5	88	0.7	2.6
11.00-17.5	96	0.8	2.84
14.00-17.5	124	1	3.67
36x16.00-17.5	140	1.1	4.14
18 INCH RIMS			
4.00-18	36	0.3	1.06
6.00-18	56	0.4	1.66
7.00-18	64	0.5	1.89
7.50-18	68	0.5	2.01
10.00-18	92	0.7	2.72
10.50/80-18	96	0.8	2.84
10.50-18	96	0.8	2.84
11.00-18	100	0.8	2.96



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
18 INCH RIMS CONTINUED			
12.00/12.50-18	108	0.8	3.19
12.50-18	112	0.9	3.31
12.5/80-18	112	0.9	3.31
13.00-18	116	0.9	3.43
335/80-18	120	0.9	3.55
340/80-18	120	0.9	3.55
365/70-18	128	1	3.79
400/70-18	144	1.1	4.26
19 INCH RIMS			
4.00-19	40	0.3	1.18
6.00-19	56	0.4	1.66
19.5 INCH RIMS			
7.00-19.5	68	0.5	2.01
8.00-19.5	80	0.6	2.37
225/70-19.5	88	0.7	2.6
9.00-19.5	88	0.7	2.6
9.50-19.5	92	0.7	2.72
245/70-19.5	96	0.8	2.84
245/75-19.5	96	0.8	2.84
265/70-19.5	104	0.8	3.08
265/75-19.5	104	0.8	3.08
285/70-19.5	108	0.8	3.19
285/75-19.5	108	0.8	3.19
305/70-19.5	116	0.9	3.43
305/75-19.5	116	0.9	3.43
15.00-19.5	148	1.2	4.38
385/65/19.5	148	1.2	4.38
33x16.00-19.5	156	1.2	4.61
16.50-19.5	160	1.3	4.73
435/50-19.5	168	1.3	4.97
445/55-19.5	172	1.3	5.09
445/65/19.5	172	1.3	5.09
18.00-19.5	176	1.4	5.2
40x19.00-19.5	184	1.4	5.44
19.50-19.5	192	1.5	5.68



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
20 INCH RIMS			
7.00-20	72	0.6	2.13
7.25-20	72	0.6	2.13
7.50-20	76	0.6	2.25
8.00-20	80	0.6	2.37
8.25-20	80	0.6	2.37
9.00-20	92	0.7	2.72
9.50-20	96	0.8	2.84
10.00-20	100	0.8	2.96
10.30-20	104	0.8	3.08
10.00/10.50-20	204	1.6	6.03
10.50-20	104	0.8	3.08
11.00-20	112	0.9	3.31
280/70-20	112	0.9	3.31
11.20-20	112	0.9	3.31
11.50-20	116	0.9	3.43
300/70-28	120	0.9	3.55
12.00-20	120	0.9	3.55
12.50-20	124	1	3.67
13.00-20	132	1	3.9
225/80-20	132	1	3.9
38x14.00-20	140	1.1	4.14
41x14.00-20	140	1.1	4.14
365/80-20	144	1.1	4.26
365/85-20	144	1.1	4.26
14.50-20	144	1.1	4.26
380/70/20	152	1.2	4.5
395/85-20	156	1.2	4.61
400/70/20	160	1.3	4.73
405/70-20	160	1.3	4.73
16.00-20	160	1.3	4.73
17.50-20	176	1.4	5.2
44x18.00-20	180	1.4	5.32
50x20.00-20	200	1.6	5.91
24x24.00-20	240	1.9	7.1
42x25.00-20	252	2	7.45



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
20 INCH RIMS CONTINUED			
47x25.00-20	252	2	7.45
48x25.00-20	252	2	7.45
48x26.5-20	264	2.1	7.81
48x31.00-20	312	2.4	9.23
44x41-20	412	3.2	12.18
20.5 INCH RIMS			
24.00-20.5	246	1.9	7.28
21 INCH RIMS			
5.00-21	52	0.4	1.54
6.00-21	64	0.5	1.89
12.00-21	128	1	3.79
16.00-21	168	1.3	4.97
21.00-21	220	1.7	6.51
23.00-21	244	1.9	7.22
24.00-21	252	2	7.45
27.25-21	288	2.3	8.52
22 INCH RIMS			
7.50-22	84	0.7	2.48
8.5	96	0.8	2.84
9.50-22	104	0.8	3.08
10.00-22	112	0.9	3.31
11.00-22	120	0.9	3.55
12.00-22	132	1	3.9
22.5 INCH RIMS			
8.00-22.5	92	0.7	2.72
205/70-22.5	92	0.7	2.72
225/60-22.5	100	0.8	2.96
9.00-22.5	92	0.7	2.72
235/80-22.5	104	0.8	3.08
245/75-22.5	108	0.8	3.19
10.00-22.5	112	0.9	3.31
255/70-22.5	112	0.9	3.31
265/70-22.5	116	0.9	3.43
255/80-22.5	116	0.9	3.43
265/75-22.5	116	0.9	3.43



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
22.5 INCH RIMS CONTINUED			
275/70-22.5	124	1	3.67
275/80-22.5	124	1	3.67
11.00-22.5	124	1	3.67
11.50-22.5	128	1	3.79
295/60-22.5	132	1	3.9
295/70-22.5	132	1	3.9
295/75-22.5	132	1	3.9
295/80-22.5	132	1	3.9
12.00-22.5	136	1.1	4.02
305/75-22.5	136	1.1	4.02
315/60-22.5	140	1.1	4.14
315/70-22.5	140	1.1	4.14
315/80-22.5	140	1.1	4.14
12.50-22.5	140	1.1	4.14
13.00-22.5	148	1.2	4.38
14.00-22.5	160	1.3	4.73
365/70-22.5	164	1.3	4.85
15.00-22.5	168	1.3	4.97
365/65-22.5	172	1.3	5.09
15.5-22.5	176	1.4	5.2
16.00-22.5	180	1.4	5.32
16.5-22.5	188	1.5	5.56
425/50-22.5	188	1.5	5.56
425/65-22.5	188	1.5	5.56
445/50-22.5	196	1.5	5.8
445/65-22.5	196	1.5	5.8
455/55-22.5	204	1.6	6.03
41x18.00-22.5	204	1.6	6.03
18.00-22.5	204	1.6	6.03
500/60-22.5	220	1.7	6.51
600/50-22.5	268	2.1	7.93
700/50-22.5	280	2.2	8.28
710/40-22.5	316	2.5	9.35
23.5 INCH RIMS			
23.00-23.5	272	2.1	8.04



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
24 INCH RIMS			
7.20-24	88	0.7	2.6
7.50-24	104	0.8	3.08
8.30-24	120	0.9	3.55
9.00-24	132	1	3.9
9.50-24	140	1.1	4.14
10.00-24	144	1.1	4.26
255/70-24	144	1.1	4.26
11.00-24	144	1.1	4.26
11.20-24	144	1.1	4.26
11.25-24	144	1.1	4.26
11.40-24	144	1.1	4.26
11.50-24	144	1.1	4.26
12.00-24	144	1.1	4.26
12.40-24	148	1.2	4.38
320/70-24	152	1.2	4.5
320/75-24	152	1.2	4.5
320/85-24	152	1.2	4.5
13.00-24	160	1.3	4.73
340/85-24	160	1.3	4.73
13.60-24	164	1.3	4.85
14.00-24	168	1.3	4.97
360/70-24	172	1.3	5.09
14.90-24	176	1.4	5.2
380/70-24	180	1.4	5.32
380/85-24	180	1.4	5.32
15.00-24	180	1.4	5.32
16.00-24	192	1.5	5.68
16.50-24	200	1.6	5.91
420/70-24	200	1.6	5.91
16.90-24	204	1.6	6.03
17.00/80-24	204	1.6	6.03
440/80-24	208	1.6	6.15
17.50-24	208	1.6	6.15
18.00-24	216	1.7	6.39
460/70-24	216	1.7	6.39



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
24 INCH RIMS CONTINUED			
18.30-24	220	1.7	6.51
18.40-24	220	1.7	6.51
480/65-24	228	1.8	6.74
480/70-24	228	1.8	6.74
19.40-24	232	1.8	6.86
19.50-24	236	1.8	6.98
500/70-24	236	1.8	6.98
20.00-24	240	1.9	7.1
21.00-24	252	2	7.45
540/65-24	256	2	7.57
540/70-24	256	2	7.57
560/65-24	264	2.1	7.81
24.5 INCH RIMS			
275/80-24.5	132	1	3.9
11.00-24.5	136	1.1	4.02
285/75-24.5	136	1.1	4.02
285/80-24.5	136	1.1	4.02
295/75-24.5	144	1.1	4.26
12.00-24.5	146	1.1	4.32
305/75-24.5	146	1.1	4.32
13.50-24.5	164	1.3	4.85
355/75-24.5	172	1.3	5.09
15.00-24.5	184	1.4	5.44
18.00-24.5	220	1.7	6.51
25 INCH RIMS			
265/70-25	132	1	3.9
11.00-25	140	1.1	4.14
12.00-25	152	1.2	4.5
13.00-25	164	1.3	4.85
14.00-25	176	1.4	5.2
15.50-25	196	1.5	5.8
16.00-25	200	1.6	5.91
17.50-25	220	1.7	6.51
445/80-25	220	1.7	6.51
445/95-25	220	1.7	6.51



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
25 INCH RIMS CONTINUED			
61x18.00-25	224	1.8	6.62
20.50-25	256	2	7.57
525/80-25	260	2	7.69
525/95-25	260	2	7.69
21.00-25	264	2.1	7.81
550/65-25	272	2.1	8.04
22.00/65-25	276	2.2	8.16
22.00-25	276	2.2	8.16
23.00/90-25	288	2.3	8.52
23.50-25	296	2.3	8.75
24.00-25	300	2.3	8.87
25.00/65-25	312	2.4	9.23
650/65-25	320	2.5	9.46
660/34-25	324	2.5	9.58
670/34-25	332	2.6	9.82
26.50-25	332	2.6	9.82
705/65-25	348	2.7	10.29
755/70-25	372	2.9	11
800/50-25	392	3.1	11.59
850/65-25	420	3.3	12.42
67x34.00-25	424	3.3	12.54
54x37.00-25	464	3.6	13.72
40.50/75-25	508	4	15.02
1050/50-25	516	4	15.26
66x43.00-25	540	4.2	15.97
66x44.00-25	552	4.3	16.32
26 INCH RIMS			
12.40-26	160	1.3	4.73
13.60-26	176	1.4	5.2
14.90-26	196	1.5	5.8
420/85-26	216	1.7	6.39
16.90-26	220	1.7	6.51
18.00-26	236	1.8	6.98
18.40-26	240	1.9	7.1
480/80-26	248	1.9	7.33



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
26 INCH RIMS CONTINUED			
580/70-26	296	2.3	8.75
23.10-26	300	2.3	8.87
23.50-26	308	2.4	9.11
24.00-26	312	2.4	9.23
620/75-26	316	2.5	9.35
28.00-26	364	2.8	10.76
750/55-26	384	3	11.36
54x31.00-26	404	3.2	11.95
57x31.00-26	404	3.2	11.95
67x34.00-26	444	3.5	13.13
66x43.00-26		0	0
28 INCH RIMS			
11.20-28	156	1.2	4.61
11.25-28	160	1.3	4.73
11.90-28	168	1.3	4.97
12.4-28	176	1.4	5.2
13.60-28	192	1.5	5.68
360/70-28	200	1.6	5.91
14.90-28	208	1.6	6.15
380/85-28	208	1.6	6.15
15.00-28	212	1.7	6.27
420/70-28	232	1.8	6.86
420/85-28	232	1.8	6.86
16.90-28	236	1.8	6.98
17.00-28	240	1.9	7.1
440/80-28	244	1.9	7.22
18.40-28	260	2	7.69
480/65-28	264	2.1	7.81
289/70-28	264	2.1	7.81
21.00-28	296	2.3	8.75
540/65-28	300	2.3	8.87
580/70-28	320	2.5	9.46
600/65-28	332	2.6	9.82
29 INCH RIMS			
21.00-29	304	2.4	8.99



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
29 INCH RIMS CONTINUED			
24.00-29	348	2.7	10.29
26.50-29	384	3	11.36
29.50-29	428	3.3	12.66
30.00/65-29	436	3.4	12.89
775/65-29	444	3.5	13.13
800/65-29	456	3.6	13.49
33.25-29	484	3.8	14.31
875/65-29	500	3.9	14.79
30 INCH RIMS			
4.00-30	60	0.5	1.77
6.00-30	92	0.7	2.72
7.20-30	108	0.8	3.19
9.5-30	144	1.1	4.26
14.9-30	224	1.8	6.62
380/85-30	224	1.8	6.62
420/90-30	248	1.9	7.33
16.9 - 30	256	2	7.57
17.00-30	256	2	7.57
18.40-30	276	2.2	8.16
480/70-30	284	2.2	8.4
480/80-30	284	2.2	8.4
480/85-30	284	2.2	8.4
21.00-30	316	2.5	9.35
540/65-30	320	2.5	9.46
520/70-30	344	2.7	10.17
23.10-30	348	2.7	10.29
600/70-30	356	2.8	10.53
620/75-30	368	2.9	10.88
67x30.00-30	452	3.5	13.37
67x34.00-30	512	4	15.14
32 INCH RIMS			
8.30-32	132	1	3.9
9.50-32	152	1.2	4.5
12.40-32	200	1.6	5.91
16.90-32	272	2.1	8.04



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
32 INCH RIMS CONTINUED			
24.50-32	392	3.1	11.59
650/75-32	408	3.2	12.07
30.00-32	480	3.8	14.2
30.50-32	488	3.8	14.43
800/65-32	504	3.9	14.91
33.50-32	536	4.2	15.85
900/55-32	568	4.4	16.8
900/60-32	568	4.4	16.8
900/65-32	568	4.4	16.8
35.50-32	568	4.4	16.8
73x44.00-32	704	5.5	20.82
68x50.00-32	800	6.3	23.66
33 INCH RIMS			
18.00-33	296	2.3	8.75
27.00-33	448	3.5	13.25
30.00-33	496	3.9	14.67
33.50-33	552	4.3	16.32
35/65-33	580	4.5	17.15
37.50-33	620	4.8	18.34
35/65-33	576	4.5	17.03
33.5 INCH RIMS			
13.00-33.5	220	1.7	6.51
34 INCH RIMS			
11.20-34	192	1.5	5.68
290/95-34	196	1.5	5.8
12.40-34	212	1.7	6.27
320/85-34	216	1.7	6.39
14.90-34	252	2	7.45
380/85-34	256	2	7.57
385/85-34	260	2	7.69
420/70-34	280	2.2	8.28
16.90-34	288	2.3	8.52
18.40-34	312	2.4	9.23
18.50-34	316	2.5	9.35
480/70-34	320	2.5	9.46



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
34 INCH RIMS CONTINUED			
480/85-34	320	2.5	9.46
20.80-34	356	2.8	10.53
540/65-34	360	2.8	10.65
540/75-34	360	2.8	10.65
23.10-34	436	3.4	12.89
650/75-34	436	3.4	12.89
710/75-34	476	3.7	14.08
35 INCH RIMS			
21.00-35	368	2.9	10.88
24.00-35	420	3.3	12.42
29.50-35	516	4	15.26
33.25-35	584	4.6	17.27
37.25-35	652	5.1	19.28
36 INCH RIMS			
9.50-36	172	1.3	5.09
11.20-36	204	1.6	6.03
12.40-36	224	1.8	6.62
320/85-36	228	1.8	6.74
13.60-36	244	1.9	7.22
13.90-36	250	2	7.39
14.90-36	272	2.1	8.04
16.9-36	304	2.4	8.99
18.00-36	324	2.5	9.58
38 INCH RIMS			
11.20-38	212	1.7	6.27
12.40-38	236	1.8	6.98
320/85-38	240	1.9	7.1
13.60-38	260	2	7.69
14.90-38	284	2.2	8.4
380/80	284	2.2	8.4
15.50-38	296	2.3	8.75
16.90-38	320	2.5	9.46
18.40-38	352	2.8	10.41
480/80-38	360	2.8	10.65
500/85-38	376	2.9	11.12



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
38 INCH RIMS CONTINUED			
520/85-38	388	3	11.47
20.80-38	396	3.1	11.71
580/70-38	436	3.4	12.89
600/65-38	488	3.8	14.43
650/65-38	488	3.8	14.43
650/75-38	488	3.8	14.43
650/85-38	488	3.8	14.43
710/70-38	532	4.2	15.73
800/70-38	600	4.7	17.74
850/80-38	636	5	18.81
39 INCH RIMS			
33.50-39	652	5.1	19.28
37.50-39	732	5.7	21.65
40.00-39	780	6.1	23.07
40.50/75-39	792	6.2	23.42
41.25/70-39	804	6.3	23.78
43.50-39	848	6.6	25.08
45.00/65-39	880	6.9	26.02
900/50-39	708	5.5	20.94
42 INCH RIMS			
9.50-42	200	1.6	5.91
12.40-42	260	2	7.69
320/80-42	264	2.1	7.81
320/90-42	264	2.1	7.81
18.40-42	388	3	11.47
480/80-42	396	3.1	11.71
500/85-42	412	3.2	12.18
520/85-42	432	3.4	12.78
20.80-42	436	3.4	12.89
620/70-45	512	4	15.14
650/65-42	536	4.2	15.85
710/71-42	488	3.8	14.43
900/50-42	744	5.8	22
43 INCH RIMS			
24.00-43	516	4	15.26



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
45 INCH RIMS			
45.00/65-45	1012	7.9	29.93
65.00/45-45	1464	11.4	43.3
46 INCH RIMS			
12.4-46	284	2.2	8.4
320/90-46	292	2.3	8.64
340/85-46	308	2.4	9.11
13.60-46	312	2.4	9.23
14.9-46	344	2.7	10.17
380/85-46	344	2.7	10.17
420/80-46	380	3	11.24
18.40-46	424	3.3	12.54
480/80-46	436	3.4	12.89
500/85-46	452	3.5	13.37
520/85-46	472	3.7	13.96
620/70-46	560	4.4	16.56
48 INCH RIMS			
230/95-48	216	1.7	6.39
49 INCH RIMS			
18.00-49	440	3.4	13.01
21.00-49	516	4	15.26
24.00-49	588	4.6	17.39
27.00-49	664	5.2	19.64
50 INCH RIMS			
320/90-50	316	2.5	9.35
380/90-50	376	2.9	11.12
380/105-50	376	2.9	11.12
480/80-50	472	3.7	13.96
51 INCH RIMS			
30.00-51	764	6	22.59
33.00-51	844	6.6	24.96
36.00-51	920	7.2	27.21
37.50-51	956	7.5	28.27
50.00/65-51	1276	10	37.74
54 INCH RIMS			
12.40-54	336	2.6	9.94



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
54 INCH RIMS CONTINUED			
320/90-54	340	2.7	10.05
320/105-54	340	2.7	10.05
380/90-54	404	3.2	11.95
56.5 INCH RIMS			
27.00-56.5	764	6	22.59
30.00-56.5	848	6.6	25.08
57 INCH RIMS			
37.00-57	1056	8.3	31.23
40.00-57	1140	8.9	33.71
44.00/80-57	1256	9.8	37.14
44.00/95-57	1256	9.8	37.14
49.50-57	1412	11	41.76
50.00/80-57	1424	11.1	42.11
50.00/90-57	1424	11.1	42.11
55.00/80-57	1568	12.3	46.37
63 INCH RIMS			
53.00/63-63	1672	13.1	49.45
55.00/80-63	1732	13.5	51.22
58.00/80-63	1828	14.3	54.06

Not to be used to seal major tire injuries. PSF Plus® must be applied in the proper quantities to provide maximum protection for sealing and rim rust control.

**PSF PLUS® IS NOT INTENDED TO REPLACE
PROPER REPAIRING OF DAMAGED TIRES**

FULLER BROTHERS, INC.
www.fullerbros.com

Corporate Head Office
P.O. Box 280 | 11507 S.E. Hwy 212, Clackamas, OR 97015
Main Line +1.503.657.9366 | Toll Free +1.800.547.7785

